

HOLE_ID	SAMPLE_NO	FROM (M)	TO (M.)	INTERVAL (M.)	Au_ppm	Cu_%	Zn_%	Ag_ppm	S_%
LTP-93	D-27193	32.00	34.00	2.00	<0.005	0.003	<0.01	<2	<0.05
LTP-93	D-27194	34.00	36.00	2.00	<0.005	0.005	0.01	<2	<0.05
LTP-93	D-27195	36.00	38.00	2.00	<0.005	0.004	<0.01	<2	<0.05
LTP-93	D-27196	38.00	40.00	2.00	<0.005	0.005	<0.01	<2	<0.05
LTP-93	D-27197	40.00	42.00	2.00	0.006	0.004	<0.01	<2	<0.05
LTP-93	D-27198	42.00	44.58	2.58	0.009	0.004	<0.01	<2	<0.05
LTP-93	D-27199	44.58	46.00	1.42	0.338	0.024	0.02	6	1.58
LTP-93	D-27200	46.00	48.00	2.00	0.212	0.007	0.02	2	1.57
LTP-93	D-27201	48.00	50.00	2.00	1.526	0.018	0.170	11	9.54
LTP-93	D-27202	50.00	51.67	1.67	0.06	0.01	0.04	3	6.42
LTP-93	D-27203	51.67	54.00	2.33	4.06	0.071	1.150	6	6.42
LTP-93	D-27205	54.00	56.00	2.00	0.649	0.017	0.280	<2	2.93
LTP-93	D-27206	56.00	58.00	2.00	0.092	0.041	0.210	<2	1.32
LTP-93	D-27207	58.00	60.00	2.00	0.228	0.024	0.190	<2	1.5
LTP-93	D-27208	60.00	62.00	2.00	0.216	0.016	0.05	<2	1.51
LTP-93	D-27209	62.00	64.00	2.00	0.063	0.005	<0.01	<2	0.61
LTP-93	D-27210	64.00	66.00	2.00	0.156	0.007	0.11	<2	0.99
LTP-93	D-27211	66.00	68.00	2.00	15.00	0.107	4.77	6	4.05
LTP-93	D-27212	68.00	70.00	2.00	5.22	0.056	0.770	3	3.07
LTP-93	D-27213	70.00	72.00	2.00	0.667	0.032	0.290	<2	1.83
LTP-93	D-27214	72.00	74.00	2.00	1.924	0.033	0.780	<2	7.27
LTP-93	D-27215	74.00	76.00	2.00	0.340	0.013	0.12	<2	12.62
LTP-93	D-27217	76.00	78.00	2.00	0.108	0.021	0.150	<2	14.29
LTP-93	D-27218	78.00	80.00	2.00	0.069	0.032	0.08	<2	15.49
LTP-93	D-27219	80.00	82.30	2.30	0.264	0.018	0.08	<2	9.34
LTP-93	D-27220	82.30	84.00	1.70	0.325	0.039	0.09	<2	2.29
LTP-93	D-27221	84.00	85.87	1.87	1.772	0.118	1.86	<2	4.19
LTP-93	D-27222	85.87	88.00	2.13	0.175	0.007	0.09	<2	14.77
LTP-93	D-27223	88.00	90.00	2.00	0.117	0.018	0.150	<2	11.81
LTP-93	D-27224	90.00	92.00	2.00	0.631	0.01	0.14	<2	7.79
LTP-93	D-27225	92.00	94.00	2.00	0.110	0.018	0.04	<2	2.66
LTP-93	D-27226	94.00	96.00	2.00	0.083	0.08	0.04	<2	1.49
LTP-93	D-27227	96.00	98.00	2.00	0.266	0.051	0.190	<2	2.48
LTP-93	D-27229	98.00	100.00	2.00	0.161	0.053	0.11	<2	1.54
LTP-93	D-27230	100.00	102.00	2.00	0.082	0.01	0.03	<2	0.83
LTP-93	D-27231	102.00	104.00	2.00	0.070	0.006	0.02	<2	1.09
LTP-93	D-27232	104.00	106.00	2.00	0.041	0.003	<0.01	<2	1.13
LTP-93	D-27233	106.00	108.00	2.00	0.008	0.005	<0.01	<2	3.72
LTP-93	D-27234	108.00	110.00	2.00	0.022	0.005	0.14	<2	9.78
LTP-93	D-27235	110.00	112.63	2.63	0.03	0.136	0.210	<2	10.43
LTP-93	D-27236	112.63	114.00	1.37	0.078	0.545	<0.01	4	4.73
LTP-93	D-27237	114.00	114.00	0.00	0.069	0.454	0.01	<2	4.37
LTP-93	D-27239	116.00	118.00	2.00	0.04	0.222	0.13	<2	3.95
LTP-93	D-27240	118.00	119.97	1.97	0.039	0.008	0.06	<2	8.04

HOLE_ID	SAMPLE_NO	FROM (M)	TO (M.)	INTERVAL (M.)	Au_ppm	Cu_%	Zn_%	Ag_ppm	S_%
LTP-93	D-27241	119.97	121.14	1.17	0.417	0.024	1.390	6	10.3
LTP-93	D-27242	121.14	124.00	2.86	0.434	0.631	0.08	3	7.66
LTP-93	D-27243	124.00	126.00	2.00	0.459	0.450	0.08	2	5.3
LTP-93	D-27244	126.00	128.00	2.00	2.957	1.418	0.2	9	8.49
LTP-93	D-27246	128.00	130.00	2.00	3.341	0.962	0.07	6	3.83
LTP-93	D-27247	130.00	132.00	2.00	1.176	2.408	0.07	11	5.18
LTP-93	D-27248	132.00	134.00	2.00	1.192	0.941	0.04	4	2.66
LTP-93	D-27249	134.00	136.00	2.00	1.713	0.763	0.460	4	2.88
LTP-93	D-27250	136.00	138.00	2.00	4.049	1.095	0.11	4	3.95
LTP-93	D-27251	138.00	140.00	2.00	9.90	1.457	0.01	6	3.88
LTP-93	D-27252	140.00	142.00	2.00	15.70	2.306	0.14	10	5.33
LTP-93	D-27253	142.00	144.00	2.00	25.70	1.385	0.05	7	3.64
LTP-93	D-27254	144.00	146.00	2.00	72.20	2.787	0.02	9	4.87
LTP-93	D-27256	146.00	148.00	2.00	26.80	0.729	0.02	3	3.37
LTP-93	D-27257	148.00	150.00	2.00	8.018	0.865	0.02	4	3.11
LTP-93	D-27258	150.00	152.00	2.00	0.828	0.398	0.03	3	3.23
LTP-93	D-27259	152.00	154.00	2.00	0.527	0.146	0.01	<2	3.54
LTP-93	D-27260	154.00	156.00	2.00	1.273	0.513	0.01	<2	4.21
LTP-93	D-27261	156.00	158.00	2.00	0.885	0.816	0.02	2	4.17
LTP-93	D-27262	158.00	160.00	2.00	0.307	0.141	0.01	<2	3.11
LTP-93	D-27263	160.00	162.00	2.00	0.483	0.022	0.02	<2	4.85
LTP-93	D-27265	162.00	164.00	2.00	0.390	0.808	0.1	4	6.93
LTP-93	D-27266	164.00	166.00	2.00	6.621	1.469	0.04	6	7.14
LTP-93	D-27267	166.00	168.00	2.00	14.80	1.227	0.02	7	4.35
LTP-93	D-27268	168.00	170.00	2.00	12.70	1.097	0.02	8	4.94
LTP-93	D-27269	170.00	172.00	2.00	9.31	2.406	0.02	9	4.91
LTP-93	D-27270	172.00	173.74	1.74	1.386	1.524	0.02	6	4.8
LTP-93	D-27271	173.74	176.00	2.26	0.267	1.280	0.14	6	5.23
LTP-93	D-27272	176.00	178.00	2.00	1.103	1.650	0.03	7	6.67
LTP-93	D-27273	178.00	180.00	2.00	0.160	0.134	<0.01	<2	2.89
LTP-93	D-27275	180.00	182.00	2.00	0.452	0.035	0.01	<2	3.39
LTP-93	D-27276	182.00	184.00	2.00	0.170	0.253	<0.01	<2	3.91
LTP-93	D-27277	184.00	186.00	2.00	0.343	1.044	0.1	3	7.62
LTP-93	D-27278	186.00	188.00	2.00	0.195	0.240	0.05	<2	5.03
LTP-93	D-27279	188.00	190.00	2.00	0.332	0.682	0.04	3	5.85
LTP-93	D-27280	190.00	192.00	2.00	0.359	0.557	0.380	5	5.2
LTP-93	D-27281	192.00	194.00	2.00	0.172	0.045	0.03	<2	4.4
LTP-93	D-27282	194.00	195.65	1.65	0.306	0.414	0.07	3	7.99
LTP-93	D-27284	195.65	198.00	2.35	0.439	0.835	0.03	2	7.02
LTP-93	D-27285	198.00	200.00	2.00	0.327	0.91	<0.01	3	9.13
LTP-93	D-27286	200.00	202.00	2.00	9.298	4.358	0.11	8	8.54
LTP-93	D-27287	202.00	204.00	2.00	4.912	2.92	0.08	8	5.92
LTP-93	D-27288	204.00	206.19	2.19	1.083	3.692	0.07	7	7.98
LTP-93	D-27289	206.19	208.00	1.81	0.578	0.314	0.200	3	6.12

HOLE_ID	SAMPLE_NO	FROM (M)	TO (M.)	INTERVAL (M.)	Au_ppm	Cu_%	Zn_%	Ag_ppm	S_%
LTP-93	D-27290	208.00	210.00	2.00	0.195	0.129	0.200	4	5.01
LTP-93	D-27291	210.00	212.00	2.00	0.178	0.928	0.180	3	5.46
LTP-93	D-27292	212.00	214.00	2.00	0.174	0.029	0.01	<2	5.19
LTP-93	D-27293	214.00	216.00	2.00	0.365	0.129	<0.01	3	5.73
LTP-93	D-27294	216.00	218.00	2.00	0.252	0.155	0.09	3	6.87
LTP-93	D-27295	218.00	220.00	2.00	0.299	0.093	0.01	<2	6.91
LTP-93	D-27296	220.00	221.21	1.21	0.267	0.307	0.12	3	4.97
LTP-93	D-27297	221.21	222.00	0.79	6.99	4.221	0.08	12	8.32
LTP-93	D-27298	222.00	224.00	2.00	3.789	4.122	0.09	15	8.97
LTP-93	D-27300	224.00	226.00	2.00	2.209	3.605	0.07	10	8.23
LTP-93	D-27301	226.00	228.17	2.17	0.608	1.061	0.380	8	8.6
LTP-93	D-27303	228.17	230.00	1.83	2.01	0.026	0.510	31	9.98
LTP-93	D-27304	230.00	231.44	1.44	1.292	0.024	0.600	22	7.74
LTP-93	D-27305	231.44	234.00	2.56	0.268	0.585	0.02	5	7.21
LTP-93	D-27306	234.00	236.00	2.00	0.959	0.398	0.07	3	7.38
LTP-93	D-27307	236.00	238.00	2.00	10.90	2.130	0.05	5	6.63
LTP-93	D-27308	238.00	240.00	2.00	3.358	1.179	0.22	4	5.85
LTP-93	D-27309	240.00	242.00	2.00	1.205	0.336	0.190	2	4.42
LTP-93	D-27310	242.00	244.35	2.35	0.320	0.565	0.03	2	5.12
LTP-93	D-27311	244.35	246.00	1.65	0.345	5.807	0.04	7	14.71
LTP-93	D-27313	246.00	248.00	2.00	0.374	2.256	0.02	5	9.23
LTP-93	D-27314	248.00	250.00	2.00	0.468	0.636	0.03	3	5.71
LTP-93	D-27315	250.00	252.00	2.00	0.923	5.359	0.02	7	12.65
LTP-93	D-27316	252.00	254.28	2.28	0.684	0.657	0.02	3	5.35
LTP-93	D-27317	254.28	256.11	1.83	0.260	6.168	<0.01	9	10.52
LTP-93	D-27318	256.11	257.00	0.89	0.314	21.941	<0.01	23	19.84
LTP-93	D-27319	257.00	259.00	2.00	0.377	5.252	0.03	13	9.61
LTP-93	D-27320	259.00	261.00	2.00	0.316	1.543	0.02	6	6.17
LTP-93	D-27321	261.00	263.00	2.00	0.193	3.062	0.02	4	8.6
LTP-93	D-27323	263.00	265.00	2.00	0.179	2.174	0.01	5	6.94
LTP-93	D-27324	265.00	267.00	2.00	0.241	3.481	0.07	9	7.96
LTP-93	D-27325	267.00	269.00	2.00	0.474	2.36	0.11	8	7.38
LTP-93	D-27326	269.00	271.00	2.00	0.133	2.907	0.03	5	6.27
LTP-93	D-27327	271.00	273.00	2.00	0.217	0.679	0.06	3	4.37
LTP-93	D-27328	273.00	275.00	2.00	0.203	0.414	0.04	3	5.31
LTP-93	D-27330	275.00	277.00	2.00	0.135	1.442	0.04	3	9.88
LTP-93	D-27331	277.00	279.00	2.00	0.202	0.695	0.06	2	7.89
LTP-93	D-27332	279.00	281.00	2.00	0.233	1.978	0.05	4	11.51
LTP-93	D-27333	281.00	283.00	2.00	0.195	0.756	0.03	<2	8.3
LTP-93	D-27334	283.00	285.00	2.00	0.262	1.368	0.09	3	10.55
LTP-93	D-27335	285.00	287.00	2.00	0.306	0.904	0.27	3	10.64
LTP-93	D-27336	287.00	288.50	1.50	0.117	1.921	<0.01	3	9.17
LTP-93	D-27337	288.50	290.00	1.50	0.084	1.100	0.01	<2	5.82
LTP-93	D-27338	290.00	292.00	2.00	0.116	1.776	0.01	4	7.49

HOLE_ID	SAMPLE_NO	FROM (M)	TO (M.)	INTERVAL (M.)	Au_ppm	Cu_%	Zn_%	Ag_ppm	S_%
LTP-93	D-27339	292.00	294.00	2.00	0.115	1.513	0.02	<2	7.25
LTP-93	D-27340	294.00	296.00	2.00	0.370	1.702	0.06	3	11.52
LTP-93	D-27341	296.00	298.00	2.00	0.245	1.772	0.05	3	8.27
LTP-93	D-27342	298.00	300.00	2.00	0.210	1.778	0.02	3	8.34
LTP-93	D-27343	300.00	302.00	2.00	0.539	1.078	0.05	<2	6.04
LTP-93	D-27344	302.00	303.87	1.87	0.797	0.679	0.12	<2	3.91
LTP-93	D-27345	303.87	305.92	2.05	0.873	0.034	2.78	29	4.68
LTP-93	D-27347	305.92	306.92	1.00	1.261	1.999	13.57	31	17.24
LTP-93	D-27348	306.92	309.00	2.08	39.90	4.526	2.68	11	12.4
LTP-93	D-27349	309.00	311.00	2.00	4.229	2.624	8.90	5	16.21
LTP-93	D-27350	311.00	313.00	2.00	0.868	0.594	0.52	<2	5.64
LTP-93	D-27351	313.00	315.00	2.00	1.672	0.298	0.66	3	9.28
LTP-93	D-27352	315.00	315.83	0.83	3.231	0.763	5.51	<2	9.84
LTP-93	D-27353	315.83	318.00	2.17	80.40	1.955	14.53	8	14.8
LTP-93	D-27354	318.00	320.00	2.00	128.60	2.239	20.02	11	18.43
LTP-93	D-27356	320.00	322.00	2.00	12.80	2.661	3.47	5	11.46
LTP-93	D-27357	322.00	324.37	2.37	1.12	0.520	1.57	3	9.01
LTP-93	D-27358	324.37	326.00	1.63	0.494	0.139	0.69	<2	6.51
LTP-93	D-27360	326.00	327.91	1.91	0.625	0.514	1.03	<2	8.06
LTP-93	D-27361	327.91	330.00	2.09	0.951	2.116	0.44	3	8.5
LTP-93	D-27362	330.00	332.00	2.00	0.247	1.044	0.07	<2	7.25
LTP-93	D-27363	332.00	334.08	2.08	0.383	1.074	0.11	<2	8.97
LTP-93	D-27364	334.08	336.00	1.92	0.305	0.120	0.360	<2	5.92
LTP-93	D-27365	336.00	337.88	1.88	0.281	0.124	0.180	<2	5.44
LTP-93	D-27366	337.88	340.00	2.12	0.174	1.471	0.170	<2	9.06
LTP-93	D-27367	340.00	342.00	2.00	0.323	0.073	0.03	<2	7.84
LTP-93	D-27368	342.00	344.00	2.00	0.291	0.164	<0.01	<2	9.58
LTP-93	D-27370	344.00	346.00	2.00	0.300	0.107	0.03	<2	7.57
LTP-93	D-27371	346.00	348.00	2.00	0.298	0.089	0.02	<2	8.38
LTP-93	D-27372	348.00	350.00	2.00	0.504	0.276	0.17	<2	9.49
LTP-93	D-27373	350.00	352.00	2.00	0.542	0.076	0.17	<2	8.15
LTP-93	D-27374	352.00	354.00	2.00	0.442	0.085	0.02	<2	5.84
LTP-93	D-27376	354.00	356.00	2.00	0.346	0.075	0.11	<2	6.61
LTP-93	D-27377	356.00	358.00	2.00	0.522	0.119	0.270	<2	8.76
LTP-93	D-27378	358.00	360.00	2.00	1.138	0.183	0.480	<2	8.12
LTP-93	D-27379	360.00	362.00	2.00	0.566	0.073	0.910	<2	8.44
LTP-93	D-27380	362.00	364.00	2.00	0.305	0.073	0.730	<2	7.33
LTP-93	D-27381	364.00	366.00	2.00	0.718	0.209	1.610	<2	10
LTP-93	D-27382	366.00	368.00	2.00	0.430	0.651	1.140	<2	12.32
LTP-93	D-27383	368.00	370.00	2.00	0.361	0.087	1.610	<2	6.61
LTP-93	D-27384	370.00	372.00	2.00	0.346	0.054	1.220	<2	6.45
LTP-93	D-27385	372.00	374.00	2.00	0.413	0.250	3.710	<2	10.45
LTP-93	D-27386	374.00	376.23	2.23	0.105	0.079	0.510	<2	5.37
LTP-93	D-27387	376.23	378.00	1.77	0.382	0.161	1.690	<2	7.38

HOLE_ID	SAMPLE_NO	FROM (M)	TO (M.)	INTERVAL (M.)	Au_ppm	Cu_%	Zn_%	Ag_ppm	S_%
LTP-93	D-27388	378.00	380.00	2.00	0.130	0.016	0.180	<2	6.13
LTP-93	D-27390	380.00	382.00	2.00	0.127	0.142	0.01	<2	11.57
LTP-93	D-27391	382.00	384.00	2.00	0.138	0.238	<0.01	<2	25.15
LTP-93	D-27392	384.00	385.71	1.71	0.101	0.134	<0.01	<2	28.28
LTP-93	D-27393	385.71	388.00	2.29	0.088	0.124	0.01	<2	9.55
LTP-93	D-27394	388.00	389.93	1.93	0.071	0.017	<0.01	<2	10.45
LTP-93	D-27395	389.93	391.30	1.37	0.088	0.048	<0.01	<2	7.86
LTP-93	D-27396	391.30	392.41	1.11	0.137	0.694	0.04	<2	18.77
LTP-93	D-27397	392.41	394.00	1.59	0.217	2.451	<0.01	7	32.29
LTP-93	D-27398	394.00	395.55	1.55	0.183	1.472	0.03	3	36.67
LTP-93	D-27400	395.55	396.98	1.43	0.094	0.421	<0.01	2	7.68
LTP-93	D-27401	396.98	398.50	1.52	0.059	0.037	0.01	<2	3.19
LTP-93	D-27402	398.50	400.31	1.81	0.08	0.008	0.01	<2	4.15
LTP-93	D-27403	400.31	401.57	1.26	0.081	0.007	0.01	<2	4.37
LTP-93	D-27405	401.57	404.00	2.43	0.037	0.013	<0.01	<2	3.87
LTP-93	D-27406	404.00	406.00	2.00	0.061	0.019	<0.01	<2	4.08
LTP-93	D-27407	406.00	408.00	2.00	0.074	0.009	0.02	<2	3.33
LTP-93	D-27408	408.00	410.00	2.00	0.084	0.005	0.01	<2	3.03
LTP-93	D-27410	410.00	412.00	2.00	0.052	0.012	0.01	<2	2.77
LTP-93	D-27411	412.00	414.00	2.00	0.072	0.008	0.05	<2	4.63
LTP-93	D-27412	414.00	416.00	2.00	0.041	0.021	0.330	<2	4.54
LTP-93	D-27413	416.00	418.00	2.00	0.044	0.026	0.500	<2	5.85
LTP-93	D-27414	418.00	420.00	2.00	0.026	0.019	0.280	<2	3.4
LTP-93	D-27415	420.00	422.00	2.00	0.046	0.017	0.640	<2	4.05
LTP-93	D-27416	422.00	424.00	2.00	0.081	0.064	0.770	<2	4.22
LTP-93	D-27418	424.00	426.00	2.00	0.031	0.015	0.1	<2	2.93
LTP-93	D-27419	426.00	428.00	2.00	0.034	0.017	0.14	<2	3.22
LTP-93	D-27420	428.00	430.00	2.00	0.036	0.014	0.12	<2	2.92
LTP-93	D-27421	430.00	432.82	2.82	0.054	0.008	0.06	<2	3.72